



BIL

RELIABLE

BA INDUSTRIES LTD



Table Of Contents

- 2** **Background**
- 3** **What We Do**
- 5** **Quality A Way Of Life**
- 6** **Our Achievements**
- 8** **South Pacific Representation**
- 9** **Product Catalogue**

BACKGROUND

Our greatest glory is not never falling, but in rising every time we fall. - Confucius.

Ba Industries Ltd was built on the noble fundamentals of local pride and that is by being 100% locally owned, producing products that are Fijian made and keeping the people of Fiji working. BIL (Ba Industries Ltd) was the vision of Mr Vinod Patel after witnessing the catastrophe caused by Hurricane Bebe in 1973, the objective being to create products that catered for the needs of the people of Fiji with quality and reliable products that built stronger homes.

With humble beginnings that started operations in a small shed in Ba, BIL has since expanded its operations into a 11,000 square foot property using state of the art machinery and employing over 80 employees.

Ba Industries takes a substantial market share of more than 60% in the wire and fencing industry in Fiji and the Pacific region.



WHAT WE DO

The secret of getting ahead is getting started. – Mark Twain

Ba Industries Limited has been built on the recommendations of satisfied customers locally and across the Pacific Region. Our years of experience have given us the ability and know-how to manufacture durable and high quality products in a wide range of styles suitable for residential and commercial applications.

The Ba Industries Limited name is associated with reliability. All BIL products are manufactured with close attention to quality control. Our products are fully warranted to be free of manufacturing defects and conform to AS/NZS standard. As a complete nail and fencing products supplier, we ensure our customers receive what they have asked for in a better package and we also custom manufacture to suit their needs.

BIL has a vision to be the leading suppliers of quality wire products and related services consistently, not only in Fiji but in the whole Pacific Region. And over a 40 year period, since its inception, BIL has been able to achieve this successfully.



QUALITY A WAY OF LIFE

Quality is not an act, it is a habit. – Aristotle

Ba Industries Limited is hinged on being "Reliable". Being ISO 9001 – 2008 certified, BIL consistently provides a product that meets customer needs and applicable statutory and regulatory requirements.

With the current system in place continuous improvement is mandatory with assurance of conformity to all regulatory requirements which aims to enhance customer satisfaction.



OUR ACHIEVEMENTS

The starting point of all achievement is desire. - *Napolean Hill*

Ba Industries Limited has many accolades in its records. Ba Industries Limited exports drive has been duly acknowledged and rewarded on various occasions.

- Fiji Trade and Investment Board's Exporter of the Year Award 1993
- Fiji Trade and Investment Board's Exporter of the Year Award 1994
- The Most Prestigious Prime Minister's Exporter of the Year Award 1995
- Fiji Trade and Investment Board's Exporter of the Year Award 1996
- Network Exporter of the Year Award 1998
- Fiji Quality Awards 2002
- The Most Prestigious Prime Minister's Exporter of the Year Award 2005
- Prime Minister's Exporter of the Year Recognition Award 2014






ISO 9001
CERTIFIED
 **GCS**

SOUTH PACIFIC REPRESENTATION

Without continual growth and progress, such words as improvement, achievement and success have no meaning.

- Benjamin Franklin

Ba Industries Limited embarked on an aggressive exports plan in the 1990s. BIL has been exporting to most of the South Pacific Island countries and has reached a milestone in becoming the only wire and fencing product manufacturing company in the South Pacific to export its product to the developed markets of Australia and New Zealand.





PRODUCT CATALOGUE




OUTSTANDING
RELIABILITY



Table Of Contents

11	Nails
17	Wires
23	Tools

Nails



JOLT HEAD BRIGHT NAILS



Specifications

20x1.60mm	50x2.80mm	125x5.60mm
25x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	
50x2.50mm	100x4.50mm	

JOLT HEAD GALVANISED NAILS



Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	

FLAT HEAD BRIGHT NAILS



Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	


FLAT HEAD GALVANISED NAILS



Specifications

20x1.60mm	50x2.50mm	100x4.50mm
25x1.60mm	50x2.80mm	125x5.60mm
40x1.60mm	60x2.80mm	150x5.60mm
40x2.00mm	75x3.75mm	

GALVANISED CLOUTS NAILS



Specifications

20x2.50mm	30x2.80mm	40x3.15mm
20x2.80mm	30x3.15mm	50x2.80mm
25x2.80mm	40x2.80mm	50x3.15mm

GALVANISED PLAIN ROOFING NAILS



Specifications

65x3.75mm
75x3.75mm

GALVANISED TWISTED ROOFING NAILS



Specifications

65x3.75mm
75x3.75mm

GALVANISED ROOFING WEATHERTECH NAILS



Specifications

60x3.75mm	90x3.75mm
65x3.75mm	100x3.75mm
75x3.75mm	

GALVANISED STAPLES NAILS



Specifications

12x2.00mm	25x3.15mm	40x3.55mm
15x2.00mm	30x3.15mm	40x4.00mm
20x2.50mm	30x3.55mm	50x4.00mm
25x2.50mm	40x3.15mm	

Available in barbed staples

COPPER SQUARE NAILS



Specifications

25x2.33mm	50x2.81mm	125x5.89mm
30x 2.33mm	75x3.78mm	150x5.89mm
40x2.33mm	100x4.53mm	

COPPER AND THREADED NAILS



Specifications

20x2.80mm	40x2.80mm	75x3.75mm
25x2.80mm	50x2.80mm	100x4.50mm
30x2.80mm	65x2.80mm	

COPPER ROUND NAILS



Specifications

20x2.80mm	40x2.80mm	75x3.75mm
25x2.80mm	50x2.80mm	100x4.50mm
30x2.80mm	65x2.80mm	

CONCRETE NAILS



Specifications

PLAIN	FLUTED	090X4.60mm
020X2.50mm	050X3.20mm	100X4.60mm
025X2.50mm	060X3.20mm	
040X2.50mm	075X4.20mm	

SHOE CUT TACKS NAILS



Specifications

12mm (1/2")	20mm (3/4")
16mm (5/8")	

Z NAILS



Specifications

Left Side Z Nails
Right Side Z Nails

GALVANISED GRIPLOCK NAILS




Specifications

40x2.50mm	65x3.15mm
50x2.80mm	75x3.75mm

Available in annular thread

GALVANISED HARDIFLEX NAILS



Specifications

25x2.00mm	30x2.50mm	50x2.80mm
25x2.50mm	40x2.00mm	65x3.75mm
30x2.00mm	40x2.50mm	

ROOFING SCREWS




Specifications

42mm
65mm
75mm
Used for timber and purlin

Wires




STANDARD BARBED WIRE



Specifications

25 kg
40 kg
50 kg


HIGH TENSILE BARBED WIRE



Specifications

100 mtr	360 mtr
150 mtr	400 mtr
250 mtr	500 mtr

BLACK AND GALVANISED FENCE POST



Specifications

1500mm	2400mm
1800mm	


MESH WIRE



Specifications

Reinforced Mesh 663, 665, 668, 6610
Galvanised Mesh 228, 325, 328
Chicken Mesh 3ft, 4ft, 6ft
Welded Mesh 3ft, 4ft, 5ft
Woven Mesh 3ft, 4ft - 16 gauge
Copra /Wata mesh 3ft, 4ft, 5ft


PVC COATED CHAINLINK FENCE
STANDARD or COMPACTED / COMPRESSED



Specifications

Mesh size	Height	2000mm
50 x 50	600mm	2100mm
60 x 60	900mm	2400mm
Length 15 mtr	1200mm	2800mm
	1500mm	3000mm
	1800mm	3600mm

GALVANISED CHAINLINK FENCE
STANDARD or COMPACTED / COMPRESSED



Specifications

Mesh size	Height	2000mm
50 x 50	600mm	2100mm
60 x 60	900mm	2400mm
Length 15 mtr	1200mm	2800mm
	1500mm	3000mm
	1800mm	3600mm


PIG / GOAT / CATTLE / DEER FENCE



Specifications

Goat Fence 900mm	Deer Fence
Goat Fence 1200mm	1200mm - 1800mm
Pig Fence 0800mm	
Length - 50mtr	

1/4 ROD



Specifications

5.00mm x 5mtrs	5.5mm x 5mtrs
5.00mm x 5.5mtrs	5.5mm X 5.5mtrs

DAMPCOURSE



Specifications

50mm	125mm	250mm
75mm	150mm	1000mm
100mm	200mm	

GALVANISED BINDING WIRE



#8 (4.00mm)	#14 (2.00mm)	HIGH TENSILE
#9 (3.55mm)	#16 (1.57mm)	#16 (1.57mm)
#10 (3.15mm)	#18 (1.20mm)	
#12 (2.50mm)	#20 (1.00mm)	

RAZOR WIRE



Specifications

500mm DIA X 102 SPIREAM X 15MTR X 13KG


GALVANISED FENCING POST



Specifications

900mm - 3600mm
 No Welding done molded in one piece steel.
 Suitable for galvanized chain link for all sizes.


PVC COATED BINDING WIRE



Specifications

2.8mm 3.2mm


GALVANISED STRAPPING 25MM X 1MM



Specifications

5mtrs 27mtrs 50mtrs
10mtrs 30mtrs
25 mtrs


NAIL COIL / GANG NAILS



Specifications

NC5, NC10, NC16
Also available in pre cut plates

MULTIGRIP



Specifications

100mm X 36mm X 36mm



TOOLS



ALUMINIUM LOUVRE FRAME



Specifications

- 610mmx152mm x 5mm
- Plastic clip & handle
- Available in 3-12 blades
- 3-5 single control
- 6-12 double control

GALVANISED LOUVRE FRAME



Specifications

- 610mm x152mm x 5mm
- Galvanised clip & handle.
- Available in 3-12 blades
- 3-5 single control
- 6-12 double control

LOUVRE GLASS



Specifications

- 610mm x 152mm x 5mm
- smooth edge available in: 24°, 26°, 28°, 30°, 32°, and 36°

SISALATION



Specifications


- Single sided
- Double sided

CYCLONE ALUMINIUM INSECT SCREEN



Specifications

- 910mm x 30 mtr
- 1520mm x 30mtr
- 1220mm x 30mtr
- 1830mm x 30mtr




CYCLONE FIBER GLASS INSECT SCREEN



Specifications

- 910mm x 50 mtr
- 1520mm x 50mtr
- 1220mm x 50mtr
- 1830mm x 50mtr



COMPLETE TOILET SET - CISTERN WITH P-PAN OR S-PAN



DOLTON CISTERN



Specifications

- Side entry / bottom entry
- 3 litre / 6 litre

PVC & PE PIPES



Specifications

- UPVC Pipes
- Pressure 15mm to 375mm
- Waste (DWV) 32mm to 150mm
- Storm water 90mm to 375mm
- Down Pipe 80mm
- Electrical Conduits 16mm to 150mm
- MPVC Pressure Pipes 100mm to 375mm
- Polyethylene pressure pipes and coils 15mm to 110mm

GALVANISED PIPES PLAIN & THREADED

Specifications

- Grade "A" 15mm to 100mm
- Grade "B" 15mm to 100mm
- Grade "C" 15mm to 100mm



WHEEL BARROW AND ACCESSORIES



Specifications

- 57 litre wheel barrow capacity
- Accessories
- "U" Bolt
- Bearing
- Tubes
- Spacer
- Axle
- Bolt & Nuts

PVC LINO



Specifications

- 6ft x 30yd

NEOPRENE RUBBER WASHER



GLV/ PVC COATED CLOTH LINE WIRE



Specifications

- 30mtr

SHRINK WRAP / STRETCH WRAP



Specifications

- 500mm x 400m x 20micron

BLACK VISQUEEN



Specifications

- 20micron
- 40micron
- 60micron

TARPAULIN



Specifications

- 70gsm in blue colour
- 120gsm in silver colour
- Available in different sizes

FILE



Specifications

- HAND FILE**
- MILL BASTARD FILE**
- CHAINSAW FILE**
- SLIM TAPER**

- 6", 8", 10", 12"

PROFILE DEADBOLT



ZENITH DEADLOCK



LANE SECURITY SET STAINLESS STEEL / BRASS



Specifications

- entrance locks set with double hatch.

LANE PRIVACY SET BRASS & STAINLESS STEEL



ENTRANCE SET STAINLESS STEEL / BRASS



MEASURING TAPE

Specifications

- 3mtr, 5mtr, 8mtr




GARDEN MASTER SQUARE / ROUND SHOVEL



Specifications

- Long and short handle



CYCLONE ROUND / SQUARE SHOVEL



Specifications

- Long and short handle

GARDEN MASTER TRENCHING SHOVEL WITH LONG HANDLE



CYCLONE GARDEN FORK



CYCLONE TROWEL



PICK HEAD 2KG



GARDEN MASTER HATCHED WOOD AXE



Specifications

- 2kg axe
wooden handle

CYCLONE COMPACT BYPASS PRUNER



COURTYARD CULTIVATOR



GARDEN MASTER MACHETE STEEL



SHEAR HEDGE STRAIGHT / WAVY EDGED



GARDEN MASTER BYPASS LOPPER



HAND SAW



Specifications

- 20", 22", 26"
- Cross cut

WRECKING BAR



Specifications

- 450mm (18")
- 600mm(24")
- 760mm(30")
- 900mm(36")

NAIL RAKE HEAD 16 TEETH



Specifications

WELDING ROD



Specifications

- 2.5mm #12 - 2.5kg / packet
- 3.2mm #10 - 5kg / packet

BALL PEN HAMMER



Specifications

- Available in different ounce head

CLAW HAMMER



Specifications

- Available in different ounce head

DIAMOND BLADE WET & DRY



Specifications

- 180mm
- 230mm

CIRCULAR SAW BLADE



Specifications

- 7 1/4 = 40t, 7 1/4 = 24teeth
- 9 1/4 = 40t, 9 1/4 = 24teeth

DIAMOND BLADE 2PC



CLASSIC KNIFE STANDARD



Specifications

- 450mm (18")
- With spare blade

COMBINATION SQUARE



Specifications


- 300mm

FOAM MATTRESS

Specifications

- covered and uncovered
- available in single, double and queen size.
- 1", 2", 3", 4", 5" and 6"







Phone: 667 4966 Fax: (679) 667 6700
E-mail: sales@bil.com.fj or export@bil.com.fj
Visit us at www.baindustriesfiji.com

BA INDUSTRIES LTD
P.O.Box 707, Ba
Fiji Islands



Fiji's Only ISO 9001 - Wire & Fencing Products Manufacturing Company